

Amendments of the Claims

This listing of claims will replace all prior versions and listings of claims in this application:

What is Claimed is:

1-8. (Canceled)

9. (Currently amended) A device for securing an asset within a container, comprising:

a base member comprising a first portion configured to be coupled to the container and a second portion that extends from the first portion; and

a locking member, wherein the locking member is configured to engage the second portion of the base member such that the asset is secured between the base member and the locking member, and wherein a portion of the locking member is configured to be acted upon by an applied force such that the locking member disengages the second portion of the base member;

wherein:

the second portion of the base member comprises a plurality of receptacles,

the locking member comprises a plurality of latches that are each configured to be received within a receptacle of the plurality of receptacles such that the asset is secured between the base member and the locking member, and

The device of claim 6, wherein the plurality of latches are constructed from a magnetically attractable material.

10-23. (Canceled)

24. (Currently amended) A method for securing an asset within a container, comprising:

providing a device for securing the asset, comprising:

a base member comprising a first portion and a second portion that extends from the first portion; and

a locking member, wherein a portion of the locking member is configured to be acted upon by an applied force such that the locking member disengages the second portion of the base member;

coupling the first portion of the base member to the container;

placing the asset in engagement with the base member; and

engaging the second portion of the base member with the locking member such that the asset is secured between the base member and the locking member, wherein:

the second portion of the base member comprises a plurality of receptacles,

the locking member comprises a plurality of latches,

engaging the second portion of the base member with the locking member further comprises receiving each latch of the plurality of latches within a receptacle of the plurality of receptacles such that the asset is secured between the base member and the locking member, and

~~The method of claim 22, wherein the plurality of latches are constructed from a magnetically attractable material.~~

25-39. (Canceled).

40. (Currently amended) A method for removing an asset from within a container, comprising:

providing a device for securing the asset,
comprising:

a base member comprising a first portion that is coupled to the container and a second portion that extends from the first portion; and

a locking member, wherein the locking member is in engagement with the second portion of the base member such that the asset is secured between the base member and the locking member,
wherein:

the second portion of the base member comprises a plurality of receptacles,

the locking member comprises a plurality of latches that are each received within a receptacle of the plurality of receptacles such that the asset is secured between the base member and the locking member, and

~~The method of claim 37, wherein the plurality of latches are constructed from a magnetically attractable material; and~~

acting upon a portion of the locking member with an applied force such that the locking member disengages the second portion of the base member.

41-47. (Canceled).